

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 04.02.2026

Version number 6 (replaces version 5)

Revision: 04.02.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Trade name:** PENECOAT™ ELASTIC**UFI:** C4A0-Y0S9-700H-V8KX**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

Application of the substance / the mixture: Liquid-applied polyurethane waterproofing membrane.**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

PENETRON HELLAS S.A.

50, THRAKOMAKEDONON AV., 136 79 ACHARNES, GREECE

TEL.: +30 210 2448250 - FAX: + 30 210 2476803

Email: info@penetron.gr Site: www.penetron.gr

G.E.M.I. No: 07278001000

1.4 Emergency telephone number:

European Emergency Tel.: 112

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to Regulation EC No 1272/2008 CLP:**

GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS08 health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements**Labelling according to Regulation EC No 1272/2008 CLP:**

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

EN

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 04.02.2026

Version number 6 (replaces version 5)

Revision: 04.02.2026

Trade name: PENECOAT™ ELASTIC

(Contd. of page 1)

Hazard pictograms:

GHS02 GHS08

Signal word: Danger**Hazard-determining components of labelling:**

Reaction mass of ethylbenzene and m-xylene and p-xylene
 m-tolylidene diisocyanate
 4,5-dichloro-2-octyl-2H-isothiazol-3-one

Hazard statements:

H226 Flammable liquid and vapour.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 H317 May cause an allergic skin reaction.
 H373 May cause damage to organs through prolonged or repeated exposure.
 H304 May be fatal if swallowed and enters airways.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P102 Keep out of reach of children.
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P260 Do not breathe dust/fume/gas/mist/vapours/spray.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
 P331 Do NOT induce vomiting.
 P302+P352 IF ON SKIN: Wash with plenty of water and soap.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P403+P235 Store in a well-ventilated place. Keep cool.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

EUH204 Contains isocyanates. May produce an allergic reaction.
 As from 24 August 2023 adequate training is required before industrial or professional use.

2.3 Other hazards**Results of PBT and vPvB assessment**

The product does not contain ingredients that are considered either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at a concentration equal to or greater than 0,1 % w/w

PBT: Not applicable**vPvB:** Not applicable**Determination of endocrine-disrupting properties**

The product does not contain substances included in the list established in accordance with Article 59(1) of REACH for endocrine disrupting properties or has not been identified as having endocrine disrupting

(Contd. on page 3)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 04.02.2026

Version number 6 (replaces version 5)

Revision: 04.02.2026

Trade name: PENECOAT™ ELASTIC

(Contd. of page 2)

properties according to the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or higher than 0.1%.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture: consisting of the following components.

Ingredients according Regulation (EU) 2020/878:

EC number: 905-562-9 Reg.nr.: 01-2119488216-32-XXXX	Reaction mass of ethylbenzene and m-xylene and p-xylene ⚠ Flam. Liq. 3, H226; ⚠ STOT RE 2, H373; Asp. Tox. 1, H304; ⚠ Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335; Aquatic Chronic 3, H412 Specific concentration limit: STOT RE 2; H373: C ≥ 10%	≥15-<20%
CAS: 26471-62-5 EINECS: 247-722-4 Index number: 615-006-00-4 Reg.nr.: 01-2119454791-34-XXXX	m-tolyldiene diisocyanate ⚠ Acute Tox. 2, H330; ⚠ Resp. Sens. 1, H334; Carc. 2, H351; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335; Aquatic Chronic 3, H412 Specific concentration limit: Resp. Sens. 1; H334: C ≥ 0.1 % substance with a Community workplace exposure limit	≥0.1-<0.5%
CAS: 64359-81-5 EINECS: 264-843-8 Index number: 613-335-00-8	4,5-dichloro-2-octyl-2H-isothiazol-3-one ⚠ Acute Tox. 2, H330; ⚠ Skin Corr. 1, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ⚠ Acute Tox. 4, H302; Skin Sens. 1A, H317 ATE: LD50 oral: 567 mg/kg LC50/4h (dusts and mists) inhalative: 0.16 mg/l Specific concentration limits: Skin Irrit. 2; H315: C ≥ 0.025 % Eye Irrit. 2; H319: C ≥ 0.025 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.01-<0.05%
CAS: 1317-65-3 EINECS: 215-279-6	limestone substance with a Community workplace exposure limit	≥35-<40%
CAS: 13463-67-7 EINECS: 236-675-5 Reg.nr.: 01-2119489379-17-XXXX	titanium dioxide substance with a Community workplace exposure limit	≥5-<7%

SVHC

This product does not contain candidate substances of very high concern at a concentration ≥0.1% (Regulation (EC) No 1907/2006 (REACH), Article 59)

Additional information: For the wording of the listed hazard phrases refer to section 16.

EN

(Contd. on page 4)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 04.02.2026

Version number 6 (replaces version 5)

Revision: 04.02.2026

Trade name: PENECOAT™ ELASTIC

(Contd. of page 3)

SECTION 4: First aid measures**4.1 Description of first aid measures****General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out into the fresh air.

Seek immediate medical advice.

After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

Seek immediate medical advice.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for at least 15 minutes under running water.

Remove contact lenses and continue rinsing for several minutes

Avoid strong water jet-risk of cornea damage, consult a doctor.

After swallowing:

Do not induce vomiting; call for medical help immediately.

Never give anything by mouth to an unconscious person.

Consult the doctor immediately and show the label or this Safety Data Sheet.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing agents: CO₂, powder or water spray.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

Carbon dioxide (CO₂)

Carbon monoxide (CO)

5.3 Advice for firefighters**Protective equipment:**

Respiratory protective device.

Wear fully protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures:**

Keep away from ignition sources.

Avoid contact with skin and eyes

Ensure adequate ventilation.

Wear protective clothing.

(Contd. on page 5)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 04.02.2026

Version number 6 (replaces version 5)

Revision: 04.02.2026

Trade name: PENECOAT™ ELASTIC

(Contd. of page 4)

6.1.1 For non-emergency personnel Avoid contact with dripping or leaking material.**6.1.2 For emergency responders**

Keep unprotected persons away.

First aiders should wear protective clothing, protective gloves, protective goggles and a respirator.

6.2 Environmental precautions:

Do not allow it to enter sewers/ surface or ground water. It must not penetrate the earth's waters.

6.3 Methods and material for containment and cleaning up:

Collect with absorbent material (sand, diatomite).

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Use adequate personal protective equipment as required. For more information regarding protective equipment see section 8.

Avoid inhaling vapors.

Avoid contact with skin and eyes.

Do not eat, drink or smoke when using this product.

Wash contaminated clothes before reusing them.

Wash your hands thoroughly after handling.

Open and handle the container carefully.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities**Storage:** Store in well-sealed containers and in well-ventilated areas. Keep it cool.**Requirements to be met by storerooms and receptacles:** Store in a cool location.**Information about storage in one common storage facility:** Stored away from oxidizing agents.**Further information about storage conditions:**

Keep container tightly sealed.

Protect from heat and direct sunlight.

7.3 Specific end use(s) No further relevant information available.*** SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****CAS: 1317-65-3 limestone**

WEL (United Kingdom)	Long-term value: 10* 4** mg/m ³ *inhalable dust; **respirable
----------------------	---

(Contd. on page 6)

EN

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 04.02.2026

Version number 6 (replaces version 5)

Revision: 04.02.2026

Trade name: PENECOAT™ ELASTIC

(Contd. of page 5)

CAS: 13463-67-7 titanium dioxide

WEL (United Kingdom)	Long-term value: 10* 4** mg/m ³ *total inhalable **respirable
----------------------	---

CAS: 26471-62-5 m-tolyldene diisocyanate

WEL (United Kingdom)	Short-term value: 0.07 mg/m ³ Long-term value: 0.02 mg/m ³ Sen; as -NCO
----------------------	---

CAS: 77-58-7 dibutyltin dilaurate

WEL (United Kingdom)	Short-term value: 0.2 mg/m ³ Long-term value: 0.1 mg/m ³ as Sn; Sk
----------------------	--

CAS: 2781-10-4 dibutyltin bis(2-ethylhexanoate)

WEL (United Kingdom)	Short-term value: 0.2 mg/m ³ Long-term value: 0.1 mg/m ³ as Sn; Sk
----------------------	--

DNELs**Reaction mass of ethylbenzene and m-xylene and p-xylene**

Oral	DNEL General Population (long term exposure - systemic effect)	5 mg/kg bw/d (human)
Dermal	DNEL Workers (long term exposure - systemic effect)	212 mg/kg bw/d (human)
	DNEL General Population (long term exposure - systemic effect)	125 mg/kg bw/d (human)
Inhalative	DNEL Workers (long term exposure - systemic effect)	221 mg/m ³ (human)
	DNEL Workers (short term exposure - systemic effect)	442 mg/m ³ (human)
	DNEL Workers (long term exposure - local effect)	221 mg/m ³ (human)
	DNEL General Population (long term exposure - systemic effect)	65.3 mg/m ³ (human)
	DNEL General Population (acute/short term exposure - local effect)	260 mg/m ³ (human)
	DNEL General Population (long term exposure - local effect)	65.3 mg/m ³ (human)
	DNEL General Population (acute/short term exposure - systemic effect)	260 mg/m ³ (human)
	DNEL Workers (acute/short term exposure - local effect)	442 mg/m ³ (human)

CAS: 13463-67-7 titanium dioxide

Inhalative	DNEL Workers (long term exposure - local effect)	1.25 mg/m ³ (human)
	DNEL General Population (long term exposure - local effect)	210 µg/m ³ (human)

(Contd. on page 7)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 04.02.2026

Version number 6 (replaces version 5)

Revision: 04.02.2026

Trade name: PENECOAT™ ELASTIC

(Contd. of page 6)

CAS: 26471-62-5 m-tolyldiene diisocyanate

Inhalative	DNEL Workers (long term exposure - systemic effect)	0.035 mg/m ³ (human)
	DNEL Workers (short term exposure - systemic effect)	0.14 mg/m ³ (human)
	DNEL General Population (acute/short term exposure - local effect)	0.14 mg/m ³ (human)
	DNEL General Population (long term exposure - local effect)	0.035 mg/m ³ (human)

PNECs**Reaction mass of ethylbenzene and m-xylene and p-xylene**

PNEC freshwater	0.044 mg/l
PNEC freshwater (intermittent releases)	0.01 mg/l
PNEC marinewater	0.004 mg/l
PNEC sediment freshwater	2.52 mg/kg dw
PNEC sediment marinewater	0.252 mg/kg dw
PNEC soil	0.852 mg/kg dw
PNEC STP	1.6 mg/l
PNEC marinewater (intermittent releases)	0.001 mg/l

CAS: 26471-62-5 m-tolyldiene diisocyanate

PNEC freshwater	0.013 mg/l
PNEC freshwater (intermittent releases)	0.125 mg/l
PNEC marinewater	0.001 mg/l
PNEC soil	1 mg/kg dw
PNEC STP	1 mg/l

8.2 Exposure controls

8.2.1. Appropriate engineering controls No other recommendations, see chapter 7.

Individual protection measures, such as personal protective equipment**General protective and hygienic measures:**

Keep away from food, beverages and pet food.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink or smoke while using the product.

Remove contaminated clothes and wash before reusing them.

Do not breathe vapours or mists.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask, or for short periods of work, a combination of charcoal filter and particulate filter A2-P2 (EN529) is recommended.

(Contd. on page 8)

EN

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 04.02.2026

Version number 6 (replaces version 5)

Revision: 04.02.2026

Trade name: PENECOAT™ ELASTIC

(Contd. of page 7)

Hand protection

Protective gloves resistant to chemicals (standard EN 374-1)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material should be made considering the penetration times, rates of diffusion and the degradation

Material of gloves

Hand protection when handling the product at room temperature:

Butyl rubber - IIR: thickness $\geq 0,5\text{mm}$; breakthrough time $\geq 480\text{min}$.Fluorinated rubber - FKM: thickness $\geq 0,4\text{mm}$; breakthrough time $\geq 480\text{min}$.

Recommendation: contaminated gloves should be disposed of.

The selection of the suitable gloves does not only depend on the material. Further marks of quality vary from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to application.

Penetration time of glove material ≥ 480 minutes

The breakthrough times according to EN 374 Part III do not always apply under real conditions. A maximum usage time corresponding to 50% of the breakthrough time is recommended.

Eye/face protection

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Chemically resistant, protective work clothing (EN 14605) and boots.

* **SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information**

Physical state	Viscous liquid
Colour:	Light grey
Odour:	Characteristic
Odour threshold:	Not determined
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and boiling range	Not specified
Flammability	Flammable.
Lower and upper explosion limit	
Lower:	Not determined
Upper:	Not determined
Flash point:	31 °C (ASTM D93)
Auto-ignition temperature:	Not specified
Decomposition temperature:	Not determined
pH	Not determined

(Contd. on page 9)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 04.02.2026

Version number 6 (replaces version 5)

Revision: 04.02.2026

Trade name: PENECOAT™ ELASTIC

(Contd. of page 8)

Viscosity:	
Kinematic viscosity	Not determined
Dynamic:	Not determined
Solubility	
water:	Not miscible
Partition coefficient n-octanol/water (log value)	Not determined
Vapour pressure:	Not determined
Density and/or relative density	
Density at 20 °C:	1.38-1.42 g/cm ³
Relative density	Not determined
Vapour density	Not determined

9.2 Other information**Appearance:****Form:** Viscous liquid**Important information on protection of health and environment, and on safety.****Ignition temperature:**

Product is not selfigniting.

Explosive properties:

Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

Solvent separation test:

<1 % (UN Part III, par. 32.5.1)

Solvent content:**VOC (EC)**

249 g/l

Change in condition

Not applicable

Fusion temperature / range:

Not applicable

Oxidising properties

Not oxidising

Evaporation rate

Not determined

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity**10.1 Reactivity** No further relevant information available.

(Contd. on page 10)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 04.02.2026

Version number 6 (replaces version 5)

Revision: 04.02.2026

Trade name: PENECOAT™ ELASTIC

(Contd. of page 9)

10.2 Chemical stability**Thermal decomposition / conditions to be avoided** Stable at environment temperature.**10.3 Possibility of hazardous reactions** No dangerous reactions known.**10.4 Conditions to avoid** Avoid heat, sparkles, naked flame or other sources of ignition.**10.5 Incompatible materials** Oxidizing agents**10.6 Hazardous decomposition products** Carbon monoxide and carbon dioxide**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity** Based on available data, the classification criteria are not met.**LD/LC50 values relevant for classification:****ATE (Acute Toxicity Estimates)**

Inhalative	LC50/4 h (vapour)	40.3 mg/l
------------	-------------------	-----------

Reaction mass of ethylbenzene and m-xylene and p-xylene

Oral	LD50	3,523 mg/kg (rat)
Dermal	LD50	12,126 mg/kg (rabbit)
Inhalative	LC50(4h)	27,124 mg/m ³ air (rat)

CAS: 13463-67-7 titanium dioxide

Oral	LD50	>5,000 mg/kg (rat)
Inhalative	LC50/4 h (vapour)	>6.82 mg/l (rat)

CAS: 26471-62-5 m-tolylidene diisocyanate

Oral	LD50	5,840 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50(4h)	0.48 mg/l (rat)

CAS: 64359-81-5 4,5-dichloro-2-octyl-2H-isothiazol-3-one

Oral	LD50	567 mg/kg (ATE)
Inhalative	LC50/4h (dusts and mists)	0.16 mg/l (ATE)

Specific symptoms in biological assay:**Skin corrosion/irritation** Causes skin irritation.**Serious eye damage/irritation** Causes serious eye irritation.**Respiratory or skin sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure**

STOT Repeated Exposure Category 2

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

The product is classified Aspiration toxicity Category 1

May be fatal if swallowed and enters airways.

Additional toxicological information:**Sensitisation** Sensitization possible through skin contact

(Contd. on page 11)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 04.02.2026

Version number 6 (replaces version 5)

Revision: 04.02.2026

Trade name: PENECOAT™ ELASTIC

(Contd. of page 10)

11.2 Information on other hazards**Endocrine disrupting properties**

The product does not contain substances included in the list established in accordance with Article 59(1) of REACH for endocrine disrupting properties or has not been identified as having endocrine disrupting properties according to the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or higher than 0.1%.

None of the ingredients is listed.

SECTION 12: Ecological information**12.1 Toxicity****Aquatic toxicity:****Reaction mass of ethylbenzene and m-xylene and p-xylene**

EC50 (72h)	4.6-4.9 mg/l (algae)
EC50 (48h)	10.389 mg/l (Daphnia magna)
LC50(96h)	>2.6 mg/l (fish)

CAS: 13463-67-7 titanium dioxide

EC50 (72h)	100 mg/l (algae)
EC50 (48h)	2.41-103.9 mg/l (Daphnia magna)
LC50(96h)	1 mg/l (fish)
NOEC(72h)	100 mg/l (algae)
NOEC (21d)	5 mg/l (Daphnia magna)
NOEC (14d)	0.87-1.1 mg/l (fish)

CAS: 26471-62-5 m-tolylidene diisocyanate

EC50 (72h)	3,230 mg/l (algae)
EC50 (48h)	12.5 mg/l (daphnia magna)
LC50(96h)	133 mg/l (fish)

12.2 Persistence and degradability No further relevant information available.**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**12.5 Results of PBT and vPvB assessment**

The product does not contain ingredients that are considered to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative at levels of 0.1% or higher according to REACH, Annex XIII.

PBT: Not applicable**vPvB:** Not applicable**12.6 Endocrine disrupting properties**

The product does not contain substances included in the list established in accordance with Article 59(1) of REACH for endocrine disrupting properties or has not been identified as having endocrine disrupting properties according to the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or higher than 0.1%.

12.7 Other adverse effects

The product does not contain substances listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Remark: Harmful to fish

(Contd. on page 12)

EN

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 04.02.2026

Version number 6 (replaces version 5)

Revision: 04.02.2026

Trade name: PENECOAT™ ELASTIC


(Contd. of page 11)

Additional ecological information:**General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
 The product contains materials that are harmful to the environment.
 Harmful to aquatic organisms

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Recommendation**

Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

European waste catalogue

HP3	Flammable
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP14	Ecotoxic

Uncleaned packaging:**Recommendation:** Disposal must be made according to official regulations.**SECTION 14: Transport information****14.1 UN number or ID number****ADR, IMDG, IATA**

UN1866

14.2 UN proper shipping name**ADR**

UN1866 RESIN SOLUTION

IMDG, IATA

RESIN SOLUTION

14.3 Transport hazard class(es)**ADR, IMDG, IATA****Class**

3 Flammable liquids.

Label

3

14.4 Packing group**ADR, IMDG, IATA**

III

14.5 Environmental hazards:**Marine pollutant:**

No

14.6 Special precautions for user

Warning: Flammable liquids.

Hazard identification number (Kemler code):

30

(Contd. on page 13)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 04.02.2026

Version number 6 (replaces version 5)

Revision: 04.02.2026

Trade name: PENECOAT™ ELASTIC

(Contd. of page 12)

EMS Number: F-E,S-E
Stowage Category A
14.7 Maritime transport in bulk according to IMO instruments Not applicable

Transport/Additional information:**ADR****Limited quantities (LQ)** 5L

Limited Quantity Marking.

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

Transport category
Tunnel restriction code
Remarks:

3

D/E

- Viscous liquid par. 2.2.3.1.5., 2.2.3.1.5.2 ADR and par. 2.3.2.5 of the IMDG Code.

- Exception for packages: ≤ 5 liters.

- In accordance to paragraphs 2.2.3.1.5, 2.2.3.1.5.2 of ADR (road transport) and 2.3.2.5 of the IMDG Code (marine transport) for packaging ≤ 5 liters (L), are not subject to the ADR agreement and are not subject to the provisions for the marking, labelling and testing of packages (IMDG).

IMDG**Limited quantities (LQ)** 5L

Limited Quantity Marking.

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

Remarks:

- Viscous liquid par. 2.2.3.1.5., 2.2.3.1.5.2 ADR and par. 2.3.2.5 of the IMDG Code.

- Exception for packages: ≤ 5 liters.

- In accordance to paragraphs 2.2.3.1.5, 2.2.3.1.5.2 of ADR (road transport) and 2.3.2.5 of the IMDG Code (marine transport) for packaging ≤ 5 liters (L), are not subject to the ADR agreement and are not subject to the provisions for the marking, labelling and testing of packages (IMDG).

UN "Model Regulation":

UN 1866 RESIN SOLUTION, 3, III

EN

(Contd. on page 14)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 04.02.2026

Version number 6 (replaces version 5)

Revision: 04.02.2026

Trade name: PENECOAT™ ELASTIC

(Contd. of page 13)

* **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as amended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as amended

Directive 2012/18/EU

Named dangerous substances - ANNEX I The substance is not included in Annex I.

Seveso category P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 74

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations: None

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

* **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

(Contd. on page 15)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 04.02.2026

Version number 6 (replaces version 5)

Revision: 04.02.2026

Trade name: PENECOAT™ ELASTIC

(Contd. of page 14)

H312 Harmful in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H330 Fatal if inhaled.
 H332 Harmful if inhaled.
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 H335 May cause respiratory irritation.
 H351 Suspected of causing cancer.
 H373 May cause damage to organs through prolonged or repeated exposure.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.


Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Classification according to Regulation (EC) No 1272/2008

Flammable liquids	Bridging principles
Skin corrosion/irritation Serious eye damage/irritation Respiratory sensitisation Skin sensitisation Specific target organ toxicity (repeated exposure) Hazardous to the aquatic environment - long-term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
Aspiration hazard	Expert judgement

Department issuing SDS:

 SUSTCHEM S.A.
 REACH & Chemical Services Department
 A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece
 T: +30 210 8252510 | F: +30 210 8252575
 W: www.sustchem.gr | E: info@sustchem.gr

Version number of previous version: 5**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 DNEL: Derived No-Effect Level (REACH)
 PNEC: Predicted No-Effect Concentration (REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 SVHC: Substances of Very High Concern

(Contd. on page 16)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 04.02.2026

Version number 6 (replaces version 5)

Revision: 04.02.2026

Trade name: PENECOAT™ ELASTIC

(Contd. of page 15)

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1: Skin corrosion/irritation – Category 1

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

EN